Index of Authors and Titles

Adzick, N. S. *See* Lorenz, H. P.
Al-Awqati, Q. *See* Herzlinger, D.
Albrecht, U. *See* Breier, G.
Alexander, C. M. *See* Behrendtsen, O.
Alexiou, M. and Leese, H. J. Purine utilisation, de novo synthesis and degradation in mouse preimplantation embryos 185
Allen, K. *See* Chang, W. S.
Altshuler, D. and Cepko, C. A temporally regulated, diffusible activity is required for rod photoreceptor development in vitro 947
Anderson, D. J. *See* Johnson, J. E.
Anderson, I. *See* Thorp, B. H.
Anderson, K. V. *See* Ferguson, E. L.
Angerer, L. M. *See* Gagnon, M. L.
Angerer, L. M. *See* Reynolds, S. D.
Angerer, R. C. *See* Gagnon, M. L.
Angerer, R. C. *See* Reynolds, S. D.
Angres, B. *See* Muller, A. H. J.
Arora, K. and Nüsslein-Volhard, C. Altered mitotic domains reveal fate map changes in *Drosophila* embryos mutant for zygotic dorsoventral patterning genes 1003

Bard, S. *See* Jahoda, C. A. B.
Bautch, V. L. *See* Wang, R
Beckendorf, S. K. *See* Panzer, S.
Behrendtsen, O., Alexander, C. M. and Werb, Z. Metalloproteinases mediate extracellular matrix degradation by cells from mouse blastocyst outgrowths 447
Bellen, H. J., D'Evelyn, D., Harvey, M. and Elledge, S. J. Isolation of temperature-sensitive diphtheria toxins in yeast and their effects on *Drosophila* cells 787
Bender, W. *See* Simon, J.
Bennett, D. C. *See* Spanakis, E.
Bentley, D. *See* Chang, W. S.
Bienz, M. *See* Castelli-Gair, J.
Biswal, S. *See* Yancey, S. B.
Bossinger, O. and Schierenberg, E. Transfer and tissue-specific accumulation of cytoplasmic components in embryos of *Caenorhabditis elegans* and *Rhabditis dolichura*: in vivo analysis with a low-cost signal enhancement device 317
Boucaut, J.-C. *See* Delarue, M.
Bowman, J. L., Sakai, H., Jack, T., Weigel, D., Mayer, U. and Meyerowitz, E. M. *SUPERMAN*, a regulator of floral homeotic genes in *Arabidopsis* 599
Braisted, J. E. and Raymond, P. A. Regeneration of dopaminergic neurons in goldfish retina 913
Brandhorst, B. P. *See* Nisson, P. E.
Breier, G., Albrecht, U., Sterrer, S. and Risau, W. Expression of vascular endothelial growth factor during embryonic angiogenesis and endothelial cell differentiation 521
Brickell, P. M. *See* Rowe, A.
Burden, S. J. *See* Simon, A. M.

Campos, A. R., Fischbach, K.-F. and Steller, H. Survival of photoreceptor neurons in the compound eye of *Drosophila* depends on connections with the optic ganglia 355
Capovilla, M., Eldon, E. D. and Pirrotta, V. The *giant* gene of *Drosophila* encodes a b-ZIP DNA-binding protein that regulates the expression of other segmentation gap genes 99
Carette, M. J. M. and Ferguson, M. W. J. The fate of medial edge epithelial cells during palatal fusion in vitro: an analysis by DiI labelling and confocal microscopy 379
Carroll, S. B. *See* Skeath, J. B.
Castelli-Gair, J., Müller, J. and Bienz, M. Function of an *Ultrabithorax* minigene in imaginal cells 877
Cate, R. L. *See* di Clemente, N.
Cepko, C. *See* Altshuler, D.
Cepko, C. L. *See* Guillemot, F.
Chang, S., Fan, J. and Nayak, J. Pathfinding by cranial nerve VII(facial) motorneurons in the chick hindbrain 815
Chang, W. S., Serikawa, K., Allen, K. and Bentley, D. Disruption of pioneer growth cone guidance in vivo by removal of glycosyl-phosphatidylinositol-anchored cell surface proteins 507
Charbonneau, M. *See* Grandin, N.
Chen, G. *See* Peters, K. G.
Cheung, H.-K. *See* Frank, L. H.
Cheung, H.-K., Serano, T. L. and Cohen, R. S. Evidence for a highly selective RNA transport system and its role in establishing the dorsoventral axis of the *Drosophila* egg 653
Chiang, A. *See* Simon, J.
Clark, R. *See* Wang, R
Clerk, A., Strong, P. N. and Sewry, C. A. Characterisation of dystrophin during development of human skeletal muscle 395
Cohen, R. S. *See* Frank, L. H.
Cohen, R. S. *See* Cheung, H.-K.
Coltey, P. M. *See* Couly, G. F.
Cortese, R. *See* Lazzaro, D.
Couly, G. F., Coltey, P. M. and le Douarin, N. M. The developmental fate of the cephalic mesoderm in quail-chick chimeras 1
Crain, W. R. *See* Nisson, P. E.
Crocker, L. *See* Powell, B.
Crossley, J. M. *See* Storey, K. G.

D'Evelyn, D. *See* Bellen, H. J.
Darribere, T. *See* Delarue, M.
De Magistris, L. *See* Lazzaro, D.
De Robertis, E. M. *See* Storey, K. G.
De Simone, V. *See* Lazzaro, D.
Del Buono, R., Fleming, K. A., Morey, A. L., Hall, P. A. and Wright, N. A. A nude mouse xenograft model of fetal intestine development and differentiation 67
Delarue, M., Sanchez, S., Johnson, K. E., Darribère, T. and Boucaut, J.-C. A fate map of superficial and deep circumblastoporal cells in the early gastrula of *Pleurodeles waltl* 135
di Clemente, N., Ghaffari, S., Pepinsky, R. B., Pieau, C., Josso, N., Cate, R. L. and Vigier, B. A quantitative and interspecific test for biological activity of anti-Müllerian hormone: the fetal ovary aromatase assay 721
Dilworth, S. M. *See* Hopwood, N. D.
DiNardo, S. *See* Gonczy, P.
Duboule, D. *See* Izpisua-Belmonte, J.-C

Ede, D. A. *See* Izpisua-Belmonte, J.-C
Eichele, G. *See* Sundin, O.
Eisen, J. S. *See* Pike, S. H.
Eldon, E. D. *See* Capovilla, M.
Elledge, S. J. *See* Bellen, H. J.

Fan, J. *See* Chang, S.

Ferguson, E. L. and Anderson, K. V. Localized enhancement and repression of the activity of the TGF-β family member, *decapentaplegic*, is necessary for dorsal-ventral pattern formation in the *Drosophila* embryo 583
Ferguson, M. W. J. *See* Carette, M. J. M.
First, N. L. *See* Hagemann, L. J.
Fischbach, K.-F. *See* Campos, A. R.
Fleming, K. A. *See* Del Buono, R.
Forrest, D. *See* Sjoberg, M.
Frank, L. H., Cheung, H.-K. and Cohen, R. S. Identification and characterization of *Drosophila* female germ line transcriptional control elements 481
Fukuta, M. *See* Ueno, K.

Gache, C. *See* Lepage, T.
Gagnon, M. L., Angerer, L. M. and Angerer, R. C. Posttranscriptional regulation of ectoderm-specific gene expression in early sea urchin embryos 457
García-Aragón, J., Lobie, P. E., Muscat, G. E. O., Gobius, K. S., Norstedt, G. and Waters, M. J. Prenatal expression of the growth hormone (GH) receptor/binding protein in the rat: a role for GH in embryonic and fetal development? 869
Gard, D. L. *See* Schroeder, M. M.
Gaudette, M. F. *See* Nisson, P. E.
Gaunt, S. J. *See* Pearce, J. J. H.
Geiger, B. *See* Goncharova, E. J.
Ghaffari, S. *See* di Clemente, N.
Ghiglione, C. *See* Lepage, T.
Gobius, K. S. *See* Garcia-Aragon, J.
Goncharova, E. J., Kam, Z. and Geiger, B. The involvement of adherens junction components in myofibrillogenesis in cultured cardiac myocytes 173
Gönczy, P., Viswanathan, S. and DiNardo, S. Probing spermatogenesis in *Drosophila* with P-element enhancer detectors 89
Gould, J. H. *See* Moffat, K. G.
Graf, T. *See* Queva, C.
Grandin, N. and Charbonneau, M. Intracellular free Ca^{2+} changes during physiological polyspermy in amphibian eggs 617
Grasser, F. A. *See* Queva, C.
Gray, G. E. and Sanes, J. R. Lineage of radial glia in the chicken optic tectum 271
Grunwald, G. B. *See* Roark, E. F.
Gruss, P. *See* Puschel, A. W.
Guillemot, F. and Cepko, C. L. Retinal fate and ganglion cell differentiation are potentiated by acidic FGF in an *in vitro* assay of early retinal development 743
Gurdon, J. B. *See* Hopwood, N. D.
Guthrie, S. and Lumsden, A. Motor neuron pathfinding following rhombomere reversals in the chick embryo hindbrain 663

Hagemann, L. J. and First, N. L. Embryonic cytoplasmic extracts rescue murine androgenones to the blastocyst stage 997
Hall, P. A. *See* Del Buono, R.
Harrison, M. R. *See* Lorenz, H. P.
Harvey, M. *See* Bellen, H. J.
Hausen, P. *See* Muller, A. H. J.
Hawkins, R. K. *See* Sanyal, S.
Heikinheimo, K. *See* Miettinen, P. J.
Henry, J. J., Klueg, K. M. and Raff, R. A. Evolutionary dissociation between cleavage, cell lineage and embryonic axes in sea urchin embryos 931
Herzlinger, D., Koseki, C., Mikawa, T. and Al-Awqati, Q. Metanephric mesenchyme contains multipotent stem cells whose fate is restricted after induction 565
Hime, G. and Saint, R. Zygotic expression of the *pebble* locus is required for cytokinesis during the postblastoderm mitoses of *Drosophila* 165
Hirobe, T. Basic fibroblast growth factor stimulates the sustained proliferation of mouse epidermal melanoblasts in a serum-free medium in the presence of dibutyryl cyclic AMP and keratinocytes 435
Hodgins, M.B. *See* Kam, E.
Hoppe, P. *See* Simon, A. M.
Hopwood, N. D., Pluck, A., Gurdon, J. B. and Dilworth, S. M. Expression of XMyoD protein in early *Xenopus laevis* embryos 31
Horne, K. A. *See* Jahoda, C. A. B.
Hotary, K. B. and Robinson, K. R. Evidence of a role for endogenous electrical fields in chick embryo development 985
Hui, C.-C. *See* Ueno, K.

Ihara, S. and Motobayashi, Y. Wound closure in foetal rat skin 573
Isaacs, H. V., Tannahill, D. and Slack, J. M. W. Expression of a novel FGF in the *Xenopus* embryo. A new candidate inducing factor for mesoderm formation and anteroposterior specification 711
Izpisúa-Belmonte, J.-C., Ede, D. A., Tickle, C. and Duboule, D. The mis-expression of posterior *Hox-4* genes in *talpid* (ta^3) mutant wings correlates with the absence of anteroposterior polarity 959

Jack, T. *See* Bowman, J. L.
Jahoda, C. A. B., Horne, K. A., Mauger, A., Bard, S. and Sengel, P. Cellular and extracellular involvement in the regeneration of the rat lower vibrissa follicle 887
Jakowlew, S. B. *See* Thorp, B. H.
Jansen, H. G. *See* Sanyal, S.
Jennings, R. W. *See* Lorenz, H. P.
Johnson, J. E., Zimmerman, K., Saito, T. and Anderson, D. J. Induction and repression of mammalian *achaete-scute* homologue (MASH) gene expression during neuronal differentiation of P19 embryonal carcinoma cells 75
Johnson, K. E. *See* Delarue, M.
Josso, N. *See* di Clemente, N.

Kam, E. and Hodgins, M. B. Communication compartments in hair follicles and their implication in differentiative control 389
Kam, Z. *See* Goncharova, E. J.
Kimelman, D. and Maas, A. Induction of dorsal and ventral mesoderm by ectopically expressed *Xenopus* basic fibroblast growth factor 261
Kinutani, M. *See* Watanabe, M.
Kitamura, K., Takiguchi-Hayashi, K., Sezaki, M., Yamamoto, H. and Takeuchi, T. Avian neural crest cells express a melanogenic trait during early migration from the neural tube: observations with the new monoclonal antibody, 'MEBL-1' 367
Klueg, K. M. *See* Henry, J. J.
Koseki, C. *See* Herzlinger, D.
Koshimizu, U., Watanabe, D., Tajima, Y. and Nishimune, Y. Effects of W (c-*kit*) gene mutation on gametogenesis in male mice: agametic tubular segments in W^f/W^f testes 861

Lafont, F., Rouget, M., Triller, A., Prochiantz, A. and Rousselet, A. In vitro control of neuronal polarity by glycosaminoglycans 17

Lagunowich, L. A. *See* Roark, E. F.
Lamina, P. *See* Spanakis, E.
Lazzaro, D., De Simone, V., De Magistris, L., Lehtonen, E. and Cortese, R. LFB1 and LFB3 homeoproteins are sequentially expressed during kidney development 469
le Douarin, N. M. *See* Couly, G. F.
le Douarin, N. M. *See* Ordahl, C. P.
Leese, H. J. *See* Alexiou, M.
Lehtonen, E. *See* Lazzaro, D.
Lepage, T., Ghiglione, C. and Gache, C. Spatial and temporal expression pattern during sea urchin embryogenesis of a gene coding for a protease homologous to the human protein BMP-1 and to the product of the *Drosophila* dorsal-ventral patterning gene *tolloid* 147
Lobie, P. E. *See* Garcia-Aragon, J.
Longaker, M. T. *See* Lorenz, H. P.
Lorenz, H. P., Longaker, M. T., Perkocha, L. A., Jennings, R. W., Harrison, M. R. and Adzick, N. S. Scarless wound repair: a human fetal skin model 253
Lumsden, A. *See* Guthrie, S.

Maas, A. *See* Kimelman, D.
Macdonald, P. M. The *Drosophila pumilio* gene: an unusually long transcription unit and an unusual protein 221
Martin, G. R. *See* Niswander, L.
Matzner, U., von Figura, K. and Pohlmann, R. Expression of the two mannose 6-phosphate receptors is spatially and temporally different during mouse embryogenesis 965
Mauger, A. *See* Jahoda, C. A. B.
Mayer, U. *See* Bowman, J. L.
Melancon, E. F. *See* Pike, S. H.
Meyerowitz, E. M. *See* Bowman, J. L.
Miettinen, P. J. and Heikinheimo, K. Transforming growth factor-alpha (TGF-α) and insulin gene expression in human fetal pancreas 833
Mikawa, T. *See* Herzlinger, D.
Miller, J. B. *See* Miner, J. H.
Miner, J. H., Miller, J. B. and Wold, B. J. Skeletal muscle phenotypes initiated by ectopic MyoD in transgenic mouse heart 853
Moffat, K. G., Gould, J. H., Smith, H. K. and O'Kane, C. J. Inducible cell ablation in *Drosophila* by cold-sensitive ricin A chain 681
Morey, A. L. *See* Del Buono, R.
Motobayashi, Y. *See* Ihara, S.
Müller, A. H. J., Angres, B. and Hausen, P. U-cadherin in *Xenopus* oogenesis and oocyte maturation 533
Müller, J. *See* Castelli-Gair, J.
Muscat, G. E. O. *See* Garcia-Aragon, J.

Nagel, J. *See* Nagel, M.-D.
Nagel, M.-D. and Nagel, J. Erythroid colony formation by fetal rat liver and spleen cells in vitro: inhibition by a low relative molecular mass component of fetal spleen 213
Naito, M. *See* Watanabe, M.
Nasir, A. *See* Reynolds, S. D.
Nayak, J. *See* Chang, S.
Ness, S. A. *See* Queva, C.
Nishimune, Y. *See* Koshimizu, U.
Nisson, P. E., Gaudette, M. F., Brandhorst, B. P. and Crain, W. R. Mutually exclusive expression of the *Strongylocentrotus purpuratus* Spec1 gene and its *Lytechinus pictus* homologue in cells of hybrid embryos 193
Niswander, L. and Martin, G. R. *Fgf-4* expression during gastrulation, myogenesis, limb and tooth development in the mouse 755
Norris, W. E. *See* Storey, K. G.
Norstedt, G. *See* Garcia-Aragon, J.
Nusslein-Volhard, C. *See* Arora, K.

O'Kane, C. J. *See* Moffat, K. G.
Obinata, M. *See* Ohneda, O.
Ochi, O. *See* Watanabe, M.
Ohneda, O., Yanai, N. and Obinata, M. Combined action of c-Kit and erythropoietin on erythroid progenitor cells 245
Ordahl, C. P. and le Douarin, N. M. Two myogenic lineages in the developing somite 339

Palis, J. *See* Reynolds, S. D.
Panzer, S., Weigel, D. and Beckendorf, S. K. Organogenesis in *Drosophila melanogaster*: embryonic salivary gland determination is controlled by homeotic and dorsoventral patterning genes 49
Paradies, N. E. *See* Roark, E. F.
Pearce, J. J. H., Singh, P. B. and Gaunt, S. J. The mouse has a Polycomb-like chromobox gene 921
Pepinsky, R. B. *See* di Clemente, N.
Perkocha, L. A. *See* Lorenz, H. P.
Peters, K. G., Werner, S., Chen, G. and Williams, L. T. Two FGF receptor genes are differentially expressed in epithelial and mesenchymal tissues during limb formation and organogenesis in the mouse 233
Pieau, C. *See* di Clemente, N.
Pike, S. H., Melancon, E. F. and Eisen, J. S. Pathfinding by zebrafish motoneurons in the absence of normal pioneer axons 825
Pintar, J. E. *See* Wood, T. L.
Pirrotta, V. *See* Capovilla, M.
Pluck, A. *See* Hopwood, N. D.
Pohlmann, R. *See* Matzner, U.
Powell, B., Crocker, L. and Rogers, G. Hair follicle differentiation: expression, structure and evolutionary conservation of the hair type II keratin intermediate filament gene family 417
Prochiantz, A. *See* Lafont, F.
Püschel, A. W., Gruss, P. and Westerfield, M. Sequence and expression pattern of *pax-6* are highly conserved between zebrafish and mice 643

Quéva, C., Ness, S. A., Grässer, F. A., Graf, T., Vandenbunder, B. and Stéhelin, D. Expression patterns of *c-myb* and of *v-myb* induced myeloid-1 (*mim-1*) gene during the development of the chick embryo 125

Raff, M. C. *See* Watanabe, T.
Raff, R. A. *See* Henry, J. J.
Raymond, P. A. *See* Braisted, J. E.
Raz, E. and Shilo, B.-Z. Dissection of the *faint little ball* (*flb*) phenotype: determination of the development of the *Drosophila* central nervous system by early interactions in the ectoderm 113
Revel, J.-P. *See* Yancey, S. B.
Reynolds, S. D., Angerer, L. M., Palis, J., Nasir, A. and Angerer, R. C. Early mRNAs, spatially restricted along the animal-vegetal axis of sea urchin embryos, include one encoding a protein related to tolloid and BMP-1 769
Richman, J. M. *See* Rowe, A.
Risau, W. *See* Breier, G.
Roark, E. F., Paradies, N. E., Lagunowich, L. A. and Grunwald, G. B. Evidence for endogenous proteases,

mRNA level and insulin as multiple mechanisms of N-cadherin down-regulation during retinal development 973
Robinson, K. R. *See* Hotary, K. B.
Rogers, G. *See* Powell, B.
Rohrer, H. Cholinergic neuronal differentiation factors: evidence for the presence of both CNTF-like and non-CNTF-like factors in developing rat footpad 689
Rouget, M. *See* Lafont, F.
Rousselet, A. *See* Lafont, F.
Rowe, A., Richman, J. M. and Brickell, P. M. Development of the spatial pattern of retinoic acid receptor-β transcripts in embryonic chick facial primordia 805

Saint, R. *See* Hime, G.
Saito, T. *See* Johnson, J. E.
Sakai, H. *See* Bowman, J. L.
Sanchez, S. *See* Delarue, M.
Sanes, J. R. *See* Gray, G. E.
Sanyal, S., Hawkins, R. K., Jansen, H. G. and Zeilmaker, G. H. Compensatory synaptic growth in the rod terminals as a sequel to partial photoreceptor cell loss in the retina of chimaeric mice 797
Schierenberg, E. *See* Bossinger, O.
Schroeder, M. M. and Gard, D. L. Organization and regulation of cortical microtubules during the first cell cycle of *Xenopus* eggs 699
Selleck, M. A. J. and Stern, C. D. Commitment of mesoderm cells in Hensen's node of the chick embryo to notochord and somite 403
Sengel, P. *See* Jahoda, C. A. B.
Serano, T. L. *See* Cheung, H.-K.
Serikawa, K. *See* Chang, W. S.
Sewry, C. A. *See* Clerk, A.
Sezaki, M. *See* Kitamura, K.
Shilo, B.-Z. *See* Raz, E.
Simon, A. M., Hoppe, P. and Burden, S. J. Spatial restriction of AChR gene expression to subsynaptic nuclei 545
Simon, J., Chiang, A. and Bender, W. Ten different *Polycomb* group genes are required for spatial control of the *abdA* and *AbdB* homeotic products 493
Singh, P. B. *See* Pearce, K. G.
Sjöberg, M., Vennström, B. and Forrest, D. Thyroid hormone receptors in chick retinal development: differential expression of mRNAs for α and N-terminal variant β receptors 39
Skeath, J. B. and Carroll, S. B. Regulation of proneural gene expression and cell fate during neuroblast segregation in the *Drosophila* embryo 939
Slack, J. M. W. *See* Isaacs, H. V.
Slack, J. M. W. and Tannahill, D. Mechanism of anteroposterior axis specification in vertebrates: lessons from the amphibians 285
Smith, H. K. *See* Moffat, K. G.
Spanakis, E., Lamina, P. and Bennett, D. C. Effects of the developmental colour mutations silver and recessive spotting on proliferation of diploid and immortal mouse melanocytes in culture 675
Stehelin, D. *See* Queva, C.
Steller, H. *See* Campos, A. R.
Stern, C. D. *See* Selleck, M. A. J.
Stern, C. D. *See* Storey, K. G.
Sterrer, S. *See* Breier, G.
Storey, K. G., Crossley, J. M., De Robertis, E. M., Norris, W. E. and Stern, C. D. Neural induction and regionalisation in the chick embryo 729
Streck, R. D. *See* Wood, T. L.
Strong, P. N. *See* Clerk, A.
Sundin, O. and Eichele, G. An early marker of axial pattern in the chick embryo and its respecification by retinoic acid 841
Suzuki, Y. *See* Ueno, K.

Tajima, Y. *See* Koshimizu, U.
Takashima, Y. *See* Watanabe, M.
Takeuchi, T. *See* Kitamura, K.
Takiguchi-Hayashi, K. *See* Kitamura, K.
Tannahill, D. *See* Slack, J. M. W.
Tannahill, D. *See* Isaacs, H. V.
Taylor, B. J. and Truman, J. W. Commitment of abdominal neuroblasts in *Drosophila* to a male or female fate is dependent on genes of the sex-determing hierarchy 625
Thorp, B. H., Anderson, I. and Jakowlew, S. B. Transforming Growth Factor-β1, -β2 and β3 in cartilage and bone cells during endochondral ossification in the chick 907
Tickle, C. *See* Izpisua-Belmonte, J.-C
Triller, A. *See* Lafont, F.
Truman, J. W. *See* Taylor, B. J.

Ueno, K., Hui, C.-C., Fukuta, M. and Suzuki, Y. Molecular analysis of the deletion mutants in the E homeotic complex of the silkworm *Bombyx mori* 555

Vandenbunder, B. *See* Queva, C.
Vennstrom, B. *See* Sjoberg, M.
Vigier, B. *See* di Clemente, N.
Viswanathan, S. *See* Gonczy, P.
von Figura, K. *See* Matzner, U.

Wang, R, Clark, R. and Bautch, V. L. Embryonic stem cell-derived cystic embryoid bodies form vascular channels: an in vitro model of blood vessel development 303
Watanabe, D. *See* Koshimizu, U.
Watanabe, M., Kinutani, M., Naito, M., Ochi, O. and Takashima, Y. Distribution analysis of transferred donor cells in avian blastodermal chimeras 331
Watanabe, T. and Raff, M. C. Diffusible rod-promoting signals in the developing rat retina 899
Waters, M. J. *See* Garcia-Aragon, J.
Weigel, D. *See* Panzer, S.
Weigel, D. *See* Bowman, J. L.
Werb, Z. *See* Behrendtsen, O.
Werner, S. *See* Peters, K. G.
Westerfield, M. *See* Puschel, A. W.
Williams, L. T. *See* Peters, K. G.
Wold, B. J. *See* Miner, J. H.
Wood, T. L., Streck, R. D. and Pintar, J. E. Expression of the IGFBP-2 gene in post-implantation rat embryos 59
Wright, N. A. *See* Del Buono, R.

Yamamoto, H. *See* Kitamura, K.
Yanai, N. *See* Ohneda, O.
Yancey, S. B., Biswal, S. and Revel, J.-P. Spatial and temporal patterns of distribution of the gap junction protein connexin43 during mouse gastrulation and organogenesis 203

Zeilmaker, G. H. *See* Sanyal, S.
Zimmerman, K. *See* Johnson, J. E.

Subject Index

Abdominal neuroblast
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625

abdominal-A
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555

Abdominal-B
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555

Ablation
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681

Acetylcholine
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545

achaete-scute
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75

Adenosine 3′, 5′-cyclic monophosphate
mouse melanoblast proliferation in culture: HIROBE **114**, 435

Adherens junction
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173

Adhesion
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507

Allelic exclusion
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193

Amphibian egg
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617

Androgenone
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997

Angiogenesis
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521

Animal-vegetal axis
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769

Anterior splanchnic mesodermal plate
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59

Anteroposterior axis
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493

Anteroposterior polarity
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959

Anteroposterior specification
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711

Arabidopsis
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599

Aromatase
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721

Autofluorescence
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317

Axis formation
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931

Axis specification
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493

Axon guidance
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825

Azaserine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185

Basement membrane
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887

Basic fibroblast growth factor
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261
mouse melanoblast proliferation in culture: HIROBE **114**, 435

Basic helix-loop-helix
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75

β-cell
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833

Binding protein
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869

Bithorax complex
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493

Blastocyst
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447

Blastoderm
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331

Blastula
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
Blood vessel
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
BMP-1
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Bombyx mori
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555
Bone
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Brachydanio rerio
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
Brain
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
BUdR
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
c-erbA
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39
c-Kit
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245
c-myb
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125
Cadherin
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173
Caenorhabditis elegans
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Calcium
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
Cartilage
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Cell ablation
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
Cell adhesion
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
Cell commitment
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
Cell culture
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
Cell cycle reinitiation
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
Cell death
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Cell determination
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
Cell fate
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
Cell lineage
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
Cell migration
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507
Cell type
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
Central nervous system
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
Cephalic mesoderm
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
CFUe inhibition
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213
Chick
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331
lineage of chick radial glia: GRAY AND SANES **114**, 271
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
short-circuiting development: HOTARY AND ROBINSON **114**, 985
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907

Chick-quail
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
Chick/quail chimera
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Chimera
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Chimerism
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331
Cholinergic neuronal differentiation
CNTF expression in rat footpad: ROHRER **114**, 689
Chondrocyte
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Chromobox
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
Cleavage pattern
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
CNS
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
CNTF
CNTF expression in rat footpad: ROHRER **114**, 689
Coat colour
mouse mutations and melanocyte growth: SPAŃAKIS, LAMINA AND BENNETT **114**, 675
Collagen
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
Collagen gel culture
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
Communication compartment
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
Confocal laser scanning miscroscopy
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
Confocal microscopy
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
Connexin43
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
Coordinate early gene expression
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
Cortical microtubule
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
Cranial nerve
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
Cross-regulation
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
Cyclin B
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
Cystic embryoid body
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
Cytochrome P-450 aromatase
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721
Cytokinesis
Drosophila pebble gene: HIME AND SAINT **114**, 165
Cytoplasmic microinjection
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
decapentaplegic
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Degradation
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Dermal sheath
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Dermis origin
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Determination
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
Development in vitro
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
Developmental genetics
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003
Differentiation
lineage of chick radial glia: GRAY AND SANES **114**, 271
DiI
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
Diphtheria toxin
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787
DNA-binding
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
DNA-binding protein
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
Dorsal ventral pattern formation
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
dorsal
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Dorsal-ventral axis
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Dorsalization
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711

Dorsoventral axis formation
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
Drosophila
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625
Drosophila pebble gene: HIME AND SAINT **114**, 165
Drosophila pumilio gene: MACDONALD **114**, 221
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877
Dye-injection
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
Dystrophin
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395
E complex
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555
Ectoderm
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457
EGF
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
EGF-R
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Electrical field
short-circuiting development: HOTARY AND ROBINSON **114**, 985
Embryonal carcinoma cell
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Embryonic development
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
Endochondral ossification
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Endogenous current
short-circuiting development: HOTARY AND ROBINSON **114**, 985
Endothelial cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521
engrailed
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Enhancer detector
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89
Epiblast
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
Epithelial cell
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
Epithelial-mesenchymal interaction
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
Epithelium
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
Erythroid colony formation
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213
Erythroid progenitor cell
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245
Erythropoietin
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245
ES cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
Evolution
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Evolutionary conservation
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
Expression
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261
Extracellular matrix
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Eye
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355

Facial nerve development
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815
Facial primordia
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
Fate map
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135
Fertilization
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
Fetal development
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395
Fetal pancreas
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Fetal spleen
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213
Fetal wound healing
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
FGF
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
bFGF
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261
FGF receptor
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
Fgf-4
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Fibroblast growth factor
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
mouse melanoblast proliferation in culture: HIROBE **114**, 435
Fibronectin
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Flower development
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599
Follicle
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Follicle cell
U-cadherin in *Xenopus* oocyte maturation: MULI ER, ANGRES AND HAUSEN **114**, 533
Footpad
CNTF expression in rat footpad: ROHRER **114**, 689
fork head
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Ganglion cell
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
Gap junction
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
Gastrula
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135
Gastrulation
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Gelatinase
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Gene expression
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
Genetics
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
Germ cell
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861
Glucagon
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Glycoaminoglycan
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
Glycosyl-phosphatidylinositol
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507
Goldfish retinal regeneration
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
Gonadal sex differentiation
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721
Granulopoiesis
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125
Growth
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
Growth cone
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507

Growth hormone receptor
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869
Gut differentiation
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Hair
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Hair follicle
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Head
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Heart
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
Helix-loop-helix protein
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Hensen's node
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Hindbrain
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815
HNF-1
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Homeobox
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841
Homeoprotein
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Homeotic gene
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877
Hormone
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39
Hox-4
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959
HP1
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
HPLC
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
hst-1
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Human
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Human fetal skin
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
Human growth hormone
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545
Hybrid embryo
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
6-Hydroxydopamine
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
Hypoxanthine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
Identified vertebrate neuron
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
IGF binding protein
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
IGF-II
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
Imaginal disc
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877
Immunocytochemistry
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
In situ hybridization
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39
In vitro
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947

In vitro differentiation
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
Inducible toxins
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787
Induction
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261
Inductive interaction site
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
Insulin
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Interaction epitheial-mesenchymal
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
Intestinal development
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
Intracellular free calcium
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
***K10* gene**
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
Keratin type II IF gene sequence
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
Keratinocyte
mouse melanoblast proliferation in culture: HIROBE **114**, 435
kFGF
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Kidney
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
KII-9
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
Laminin
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Leucine zipper
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
LFB1
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Limb bud
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Limb formation
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
Limb muscle
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
Lineage
lineage of chick radial glia: GRAY AND SANES **114**, 271
Lineage analysis
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
Liver
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Long-range repression
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877
Lucifer Yellow
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Lytechinus pictus
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
M33
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
Mammal
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Mannose 6-phosphate receptor
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
MASH
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Maxillary primordia
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
Medial edge epithelial cell
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
Melanoblast
mouse melanoblast proliferation in culture: HIROBE **114**, 435
Melanocyte
mouse melanoblast proliferation in culture: HIROBE **114**, 435
Melanocyte culture
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
Melanogenesis
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
Mesenchyme
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
Mesoderm
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261

Mesoderm induction
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711
Mesodermal derivative
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135
Metalloendoprotease
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
Metalloprotease
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Metalloproteinase
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Metanephros
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
Microinjection
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Microtubule
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
mim-1
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125
Mitosis
Drosophila pebble gene: HIME AND SAINT **114**, 165
Mitotic domain
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003
Monoclonal antibody
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
Motor neuron
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
Mouse
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
mouse melanoblast proliferation in culture: HIROBE **114**, 435
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
MPF
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
MPR300
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
MPR46
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
mRNA
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
mRNA localization
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
Mullerian-inhibiting substance
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721
Murine ES cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
Muscle
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
Muscle origin
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Myfkins
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
MyoD
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
Myofibrillogenesis
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173
Myogenesis
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755

Myogenin
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
Myotome
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
N-cadherin
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
Nematode
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Neural crest
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
Neural development
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625
Neural induction
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Neural retina development
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
Neural tube
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367
Neuroblast
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625
Neurogenic gene
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
Neuromuscular synapse
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545
Neuron
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
Neuronal differentiation
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Neurulation
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Notochord
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
Nude mouse
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
Ontogeny
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869
Oocyte maturation
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533
Oogenesis
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
Optic ganglion
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Optic tectum
lineage of chick radial glia: GRAY AND SANES **114**, 271
Organ culture
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573
Organiser
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
Organogenesis
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Ossification
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Osteoblast
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Osteoclast
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Ovary
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721
Ovis aries
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417
P-element enhancer detector
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89
P-element transformation
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
P19
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Paired-box
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Palatal fusion
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379
Pancreas
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Pathfinding
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663

Pattern formation
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
pebble
Drosophila pebble gene: HIME AND SAINT **114**, 165
Photoreceptor
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Physiological polyspermic fertilization
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
PI-PLC
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507
Pigmented epithelium
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
Pioneer axon
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
Placode
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
Pleurodeles
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135
Polarity
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959
Polycomb
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493
Polyspermy
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617
Posterior body plan
Drosophila pumilio gene: MACDONALD **114**, 221
Posttranscriptional regulation
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457
Preimplantation embryo
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
Prenatal expression
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869
Presumptive ectoderm
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Primitive streak
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Proneural gene
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939
Protease
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
Protein
Drosophila pumilio gene: MACDONALD **114**, 221
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
Protein phosporylation
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
***pumilio* gene**
Drosophila pumilio gene: MACDONALD **114**, 221
Purine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
Quail-chick chimera
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1
Radial glia
lineage of chick radial glia: GRAY AND SANES **114**, 271
RAR-β
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
Rat
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389
CNTF expression in rat footpad: ROHRER **114**, 689
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573
Rat embryo
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17
Reaggregate culture
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
Receptor
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39

Receptor tyrosine kinase
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113
Recessive spotting
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
Regeneration
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Regionalization
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Regulatory element
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
Renal development
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
Repression
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877
Retina
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
Retinal degeneration
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Retinal development
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39
Retinoic acid
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841
Retinoic acid receptor
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805
Retrovirus
lineage of chick radial glia: GRAY AND SANES **114**, 271
Rhabditis dolichura
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Rhodamine
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Rhombomere
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663
Ricin
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681
RNA
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
RNA transport
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653
Rod
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947
Rod photoreceptor cell
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
Rod synapse
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797
Rumpless mutant
short-circuiting development: HOTARY AND ROBINSON **114**, 985
Rumplessness
short-circuiting development: HOTARY AND ROBINSON **114**, 985
Salivary gland
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Scarless wound repair
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
Schistocerca americana
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507
Schwann cell
CNTF expression in rat footpad: ROHRER **114**, 689
Sclerotome
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339
Sea urchin
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769
Segmentation gap gene
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
Serum-free culture
mouse melanoblast proliferation in culture: HIROBE **114**, 435
sevenless
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681
sex combs reduced
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49
Sex differentiation
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625
Silver
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675
Single cell ablation
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825

Skeletal muscle
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
Skin
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
Somatostatin
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Somite
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403
Spec1 gene
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
Specification
Drosophila pumilio gene: MACDONALD **114**, 221
Sperm aster
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
Spermatogenesis
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861
Spinal cord
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Splanchnic mesdoermal plate
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59
Spleen
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213
Stem cell
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565
Strongylocentrotus purpuratus
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193
Sweat gland
CNTF expression in rat footpad: ROHRER **114**, 689
Sympathetic neuron
CNTF expression in rat footpad: ROHRER **114**, 689
Synaptic development
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545
Synaptic plasticity
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797
Tail development
short-circuiting development: HOTARY AND ROBINSON **114**, 985
***talpid*^{3}**
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959
Temperature sensitivity
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787
Testis
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861
TGF-α
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
TGF-β
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Thyroid hormone receptor
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39
TIMP
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Tissue specificity
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457
Tissue spreading
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573
tolloid
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147
Tooth bud
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755
Trans-acting factor
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469
Transcription
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481
Transcription factor
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125
Transcription unit
Drosophila pumilio gene: MACDONALD **114**, 221
Transfilter culture
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899
Transforming growth factor
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833
Transgenic mice
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853
Trophic interaction
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
Trophoblast
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Type II collagen
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907
Type IV
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Ultrabithorax
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555

Uniparental
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997
Urokinase
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447
Vascular development
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303
Vascular endothelial growth factor
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521
Vascular permeability factor
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521
Vertebrate
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285
Vertebrate neuron
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
Vibrissa
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
Video enhancement
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Visual system
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355
W (c-*kit*) gene
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861
W mutation
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245
Wing development
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959
Wound closure
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573
Wound healing
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573
Xanthine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185
Xenograft
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67
Xenopus
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699
XlHbox1
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729
Yeast
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787
Yolk
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317
Zebrafish
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643
Zipper motif
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99
Zygotic expression
Drosophila pebble gene: HIME AND SAINT **114**, 165
Zygotic gene
sea urchin blasula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147